BRAIN RESEARCH

VOL. 616 NOS. 1/2 9 JULY 1993

CONTENTS

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of Manuscripts vii

Research Reports

Differential cholinergic and non-cholinergic actions of acetylcholinesterase in the substantia nigra revealed by fasciculin-induced inhibition
F. Dajas, R. Silveira, G. Costa, M.E. Castello, D. Jerusalinsky, J. Medina, D. Levesque and S. Greenfield (Uruguay, Argentina, UK) 1

Distribution of tachykinin- and opioid-expressing neurons in the hamster solitary nucleus: an immuno- and in situ hybridization histochemical study
B.J. Davis and R.M. Kream (USA) 6

Kindling antagonism: mapping of susceptible sites
R.D. Kirkby, T.H. Gilbert and M.E. Corcoran (Canada) 17

Suppression of visual responses of neurons in inferior temporal cortex of the awake macaque by addition of a second stimulus
E.K. Miller, P.M. Gochin and C.G. Gross (USA) 25

Task constraints on foot movement and the incidence of compensatory stepping following perturbation of upright stance
W.E. McIlroy and B.E. Maki (Canada) 30

Proteolytic degradation of rat growth hormone-releasing factor (1-29) amide in rat pituitary and hypothalamus
L. Boulanger, C. Lazure, L. Lefrançois and P. Gaudreau (Canada) 39

The variation in safety factor with myelinated axon diameter: experiments with low sodium perfusion
R. Fern and P.J. Harrison (UK) 48

Serotonin 5-HT_3 receptors in schizophrenia: a postmortem study of the amygdala
A. Abi-Dargham, M. Laruelle, B. Lipska, G.E. Jaskiw, D.T. Wong, D.W. Robertson, D.R. Weinberger and J.E. Kleinman (USA) 53

The maximum rate of neurofilament transport in axons: a view of molecular transport mechanisms continuously engaged
R.J. Lasek, P. Paggi and M.J. Katz (USA, Italy) 58

Effects of chronic corticosterone ingestion on spatial memory performance and hippocampal serotonergic function
V.N. Luine, R.L. Spencer and B.S. McEwen (USA) 65

Responses of rat striatal neurons during performance of a lever-release version of the conditioned avoidance response task
I.M. White and G.V. Rebec (USA) 71

Blockade of morphine-induced analgesia and tolerance in mice by MK-801
K. Lutfy, D.E. Hurlbut and E. Weber (USA) 83

Stress response, adrenal steroid receptor levels and corticosteroid-binding globulin levels – a comparison between Sprague–Dawley, Fischer 344 and Lewis rats
F.S. Dhabhar, B.S. McEwen and R.L. Spencer (USA) 89

Identification of a 34 kDa protein specific to synaptic vesicles
K.G. Miller, B. Wendland and R.H. Scheller (USA) 99

Blunting of the neurotensin mRNA response to haloperidol in the striatum of aging rats: possible relationship to decline in dopamine D2 receptor expression
D.J. Dobie, K.M. Merchant, M.W. Hamblin, G.T. Vatassery, M.W. Dysken and D.M. Dorsa (USA) 105

Intracerebroventricular administration of corticotropin-releasing factor induces *c-fos* mRNA expression in brain regions related to stress responses: comparison with pattern of *c-fos* mRNA induction after stress
T. Imaki, T. Shibasaki, M. Hotta and H. Demura (Japan) 114

Neurobehavioral changes produced in rats by prenatal exposure to carbon monoxide
V. Di Giovanni, R. Cagiano, M.A. De Salvia, A. Giustino, C. Lacomba, G. Renna and V. Cuomo (Italy) 126

Olfactory sensitivity of rats with transection of the lateral olfactory tract
B.M. Slotnick and F.W. Schoonover (USA) 132

NMDA glutamatergic receptors, labelled with [^{3}H]MK-801, in brain samples from drug-free depressed suicides
S. Holemans, F. De Paermentier, R.W. Horton, M.R. Crompton, C.L.E. Katona and J.-M. Maloteaux (Belgium, UK) 138

Influence of GABA on neurons of the gustatory zone of the rat nucleus of the solitary tract
L. Wang and R.M. Bradley (USA) 144

(contents continued on p. 360)

0006-8993(19930709)616:1/2;1-V

BRAIN RESEARCH

VOL. 616 NOS. 1/2 9 JULY 1993

CONTENTS

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of Manuscripts vii

Research Reports

Differential cholinergic and non-cholinergic actions of acetylcholinesterase in the substantia nigra revealed by fasciculin-induced inhibition
F. Dajas, R. Silveira, G. Costa, M.E. Castello, D. Jerusalinsky, J. Medina, D. Levesque and S. Greenfield (Uruguay, Argentina, UK) 1

Distribution of tachykinin- and opioid-expressing neurons in the hamster solitary nucleus: an immuno- and in situ hybridization histochemical study
B.J. Davis and R.M. Kream (USA) 6

Kindling antagonism: mapping of susceptible sites
R.D. Kirkby, T.H. Gilbert and M.E. Corcoran (Canada) 17

Suppression of visual responses of neurons in inferior temporal cortex of the awake macaque by addition of a second stimulus
E.K. Miller, P.M. Gochin and C.G. Gross (USA) 25

Task constraints on foot movement and the incidence of compensatory stepping following perturbation of upright stance
W.E. McIlroy and B.E. Maki (Canada) 30

Proteolytic degradation of rat growth hormone-releasing factor (1-29) amide in rat pituitary and hypothalamus
L. Boulanger, C. Lazure, L. Lefrançois and P. Gaudreau (Canada) 39

The variation in safety factor with myelinated axon diameter: experiments with low sodium perfusion
R. Fern and P.J. Harrison (UK) 48

Serotonin 5-HT_3 receptors in schizophrenia: a postmortem study of the amygdala
A. Abi-Dargham, M. Laruelle, B. Lipska, G.E. Jaskiw, D.T. Wong, D.W. Robertson, D.R. Weinberger and J.E. Kleinman (USA) 53

The maximum rate of neurofilament transport in axons: a view of molecular transport mechanisms continuously engaged
R.J. Lasek, P. Paggi and M.J. Katz (USA, Italy) 58

Effects of chronic corticosterone ingestion on spatial memory performance and hippocampal serotonergic function
V.N. Luine, R.L. Spencer and B.S. McEwen (USA) 65

Responses of rat striatal neurons during performance of a lever-release version of the conditioned avoidance response task
I.M. White and G.V. Rebec (USA) 71

Blockade of morphine-induced analgesia and tolerance in mice by MK-801
K. Lutfy, D.E. Hurlbut and E. Weber (USA) 83

Stress response, adrenal steroid receptor levels and corticosteroid-binding globulin levels – a comparison between Sprague–Dawley, Fischer 344 and Lewis rats
F.S. Dhabhar, B.S. McEwen and R.L. Spencer (USA) 89

Identification of a 34 kDa protein specific to synaptic vesicles
K.G. Miller, B. Wendland and R.H. Scheller (USA) 99

Blunting of the neurotensin mRNA response to haloperidol in the striatum of aging rats: possible relationship to decline in dopamine D2 receptor expression
D.J. Dobie, K.M. Merchant, M.W. Hamblin, G.T. Vatassery, M.W. Dysken and D.M. Dorsa (USA) 105

Intracerebroventricular administration of corticotropin-releasing factor induces *c-fos* mRNA expression in brain regions related to stress responses: comparison with pattern of *c-fos* mRNA induction after stress
T. Imaki, T. Shibasaki, M. Hotta and H. Demura (Japan) 114

Neurobehavioral changes produced in rats by prenatal exposure to carbon monoxide
V. Di Giovanni, R. Cagiano, M.A. De Salvia, A. Giustino, C. Lacomba, G. Renna and V. Cuomo (Italy) 126

Olfactory sensitivity of rats with transection of the lateral olfactory tract
B.M. Slotnick and F.W. Schoonover (USA) 132

NMDA glutamatergic receptors, labelled with [^{3}H]MK-801, in brain samples from drug-free depressed suicides
S. Holemans, F. De Paermentier, R.W. Horton, M.R. Crompton, C.L.E. Katona and J.-M. Maloteaux (Belgium, UK) 138

Influence of GABA on neurons of the gustatory zone of the rat nucleus of the solitary tract
L. Wang and R.M. Bradley (USA) 144

(contents continued on p. 360)

0006-8993(19930709)616:1/2;1-V

(contents continued)

Mesencephalic microinjections of neurotensin-(1–13) and its C-terminal fragment, neurotensin-(8–13), potentiate brain stimulation reward
P.-P. Rompré and A. Gratton (Canada) 154
Polyamines modulate the neurotoxic effects of NMDA in vivo
M. Munir, S. Subramaniam and P. McGonigle (USA) 163
Mechanical hyperalgesia in streptozotocin-diabetic rats is not sympathetically maintained
S.C. Ahlgren and J.D. Levine (USA) 171
Neuronal loss in the human claustrum following ulegyria
J. Morys, O. Narkiewicz and H.M. Wisniewski (USA, Poland) 176
Abdominal vagal afferents excite A1 area neurons antidromically activated from the region of the supraoptic nucleus in the rabbit
Z.J. Gieroba and W.W. Blessing (Australia) 181
In *Aplysia* sensory neurons, the neuropeptide SCP_B and serotonin differ in efficacy both in modulating cellular properties and in activating adenylyl cyclase:. implications for mechanisms underlying presynaptic facilitation
H.E. Jarrard, B.A. Goldsmith and T.W. Abrams (USA) 188
The projections of noradrenergic neurons in the A5 catecholamine cell group to the spinal cord in the rat:. anatomical evidence that A5 neurons modulate nociception
F.M. Clark and H.K. Proudfit (USA) 200
Differential alterations in adenosine A_1 and κ_1 opioid receptors in the striatum in Alzheimer's disease
M. Ikeda, K.B. Mackay, D. Dewar and J. McCulloch (UK) 211
Separate neural pathways respond to different noxious stimuli affecting respiratory pump frequency in *Aplysia fasciata*
M. Levy and A.J. Susswein (Israel) 218
Demonstration of a human urinary trypsin inhibitor (urinastatin)-like substance in the murine brain
T. Shikimi, T. Wessel, T.H. Joh, M. Takahashi, H. Kaneto, K. Hattori and S. Takaori (Japan, USA) 230
Different effects of ω-conotoxin GVIA at excitatory and inhibitory synapses in rat CA1 hippocampal neurons
B. Potier, P. Dutar and Y. Lamour (France) 236
Heterogeneous distribution of D_1, D_2 and D_5 receptor mRNAs in monkey striatum
M.S. Rappaport, S.C. Sealfon, A. Prikhozhan, G.W. Huntley and J.H. Morrison (USA) 242
Peripheral and central pathways regulating the kidney: a study using pseudorabies virus
L.P. Schramm, A.M. Strack, K.B. Platt and A.D. Loewy (USA) 251
Cocaine neurotoxicity and altered neuropeptide Y immunoreactivity in the rat hippocampus; a silver degeneration and immunocytochemical study
J.H. Goodman and R.S. Sloviter (USA) 263
Kainate elicits elevated nuclear calcium signals in retinal neurons via calcium-induced calcium release
J.D. Kocsis, M.N. Rand, B. Chen, S.G. Waxman and R. Pourcho (USA) 273
High intracerebral levels of CRH result in CRH receptor downregulation in the amygdala and neuroimmune desensitization
R.L. Hauger, M.R. Irwin, M. Lorang, G. Aguilera and M.R. Brown (USA) 283
Chronic cannabinoid administration alters cannabinoid receptor binding in rat brain: a quantitative autoradiographic study
A. Oviedo, J. Glowa and M. Herkenham (USA) 293

Short Communications

Separation of different interictal discharge patterns in acute experimentally induced epileptic foci of the rat in vivo
T. Dorn and O.W. Witte (Germany) 303
Medial diencephalic sites involved in calcitonin-induced hyperthermia and analgesia
S. Sellami and R. De Beaurepaire (France) 307
Neonatal glutamate can destroy the hippocampal CA1 structure and impair discrimination learning in rats
T. Kubo, R. Kohira, T. Okano and K. Ishikawa (Japan) 311
Alterations of corticotropin-releasing factor-like immunoreactivity in different brain regions after acute cocaine administration in rats
Z. Sarnyai, É. Bíró, J. Gardi, M. Vecsernyés, J. Julesz and G. Telegdy (Hungary) 315
Changes of immunoreactivity for synaptophysin ('protein p38') following a transient cerebral ischemia in the rat striatum
K. Korematsu, S. Goto, S. Nagahiro and Y. Ushio (Japan) 320
A68 is a component of paired helical filaments of Gerstmann–Sträussler–Scheinker disease, Indiana kindred
F. Tagliavini, G. Giaccone, F. Prelli, L. Verga, M. Porro, J.Q. Trojanowski, M.R. Farlow, B. Frangione, B. Ghetti and O. Bugiani (Italy, USA) 325
Blockade of antidromic invasion of CA1 pyramidal cells during synaptic activation of NMDA receptors
O. Herreras and J. Jing (Spain, USA) 330
The kappa-opioid receptor agonist U-69593 attenuates cocaine-induced behavioral sensitization in the rat
C.A. Heidbreder, S.R. Goldberg and T.S. Shippenberg (USA) 335
Simultaneous demonstration of Fos-like immunoreactivity and 2-deoxy-glucose uptake in the inferior colliculus of the mouse
K. Reimer (Germany) 339
Immunocytochemical identification of photoreceptor populations in the tree shrew retina
H.M. Petry, J.T. Erichsen and Á. Szél (USA, Sweden) 344
A geometrical description of horizontal cell networks in the turtle retina
J. Ammermüller, W. Möckel and P. Rujan (Germany) 351

Author Index 357